

## Newsletter September 2023



# I would like to welcome our new families to the nursery and anyone returning after the summer holidays.

## Staffing update:

We would like to welcome to the team:

Bethany is our new Teacher in Inventors.

Carla is our new Nurture assistant currently working in Discoverers.

Saliha is our new Deputy head she will work across Caversham and New Bridge.

Lauren will be returning from maternity leave in November and will continue her role as the Explorers room leader.

### Focus children and Tapestry observations:

Every 6-8 weeks your child will become a focus child, your child's key person will ask you to complete a small questionnaire and return to them. After the focus week your child's key person will arrange a phone call with you to discuss the week and set some next step. This will then be uploaded to Tapestry where you will be asked to like the post and make any further comments.

We encourage parents and carers to upload observations from home to show the next steps for home learning. We also love to see your everyday photos, holidays, birthdays etc the children love to share these with their friends and staff. This really encourages even our quietest of children to tell us about their photos and adventures.

We would encourage all parents to download the Tapestry app to your phones/tablets. The app is user friendly and an easier way to share photo's or video's with us.

Tapestry is our main communication tool to keep all Parents and Carers up to date with what is happening. If you need any support please do ask a member of staff.

#### Snack donations:

We really appreciate your kind donations of fruit and vegetables for snack times, the children love to share their fruit with their friends. We would like to encourage more parents to donate fruit and vegetables for snack, it doesn't have to be a big donation it can be as small as a couple of apples or a cucumber, a bag or oranges anything that you can afford to donate is much appreciated and enjoyed by the children.

#### Pack lunches:

Please can we remind all Parents are Carers that we are a **NUT FREE** school. Below is a reminder of the heathy lunch box ideas.



## Diary dates:

Diary dates for the school year will be attached to this newsletter, they can also be found on our nursery website.

If you celebrate a festival that we have missed from these dates please do comment on the post so that we can add to the dates. We encourage parents and carers to support us in these celebrations. This can be by lending us books, giving us information about the celebration or donating items to help us build on our multicultural resources.

## Poorly children:

If your child is poorly please keep them at home, illness can spread quickly between the children. If your child is poorly please call the office on: 01189375429 and choose option 1 leaving your child's name and details for their absence or post a message onto Tapestry.

Below is a copy of our minimum exclusions for sick children, these are the minimum times you child must stay off of nursery. Please only return after these times if your child is feeling better and able to access the full provision available to them such as the garden areas, water play.

Temperature Above 38 Degrees  If not gone down with medication child needs to be excluded  Chickenpox  Chickenpox  Diphtheria  Hepatitis A*  Hepatitis B* and C* HIV/AIDS  Measles  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Meningitis viral  Meningitis viral  Meningitis (whooping cough)  Pertussis (whooping cough)  Rebella (German measles)  Rebella (German measles)  If not gone down with medication child needs to be excluded  If not gone down with medication child needs to be excluded  Prive days from onset of rash and all vesicles have crusted over  Exclude until 7 days after onset of jaundice (or 7 days after symptom onset if no jaundice)  No exclusion  Four days from onset of rash. Consult with doctor and HPT  Until recovered from the illness consult with doctor and HPT  Wumps  Pertussis (whooping tough)  Always from the onset of swelling. Consult with doctor and HPT  2 days from the onset of swelling. Consult with doctor and HPT  2 days from the onset of paroxysmal cough without antibiotics.  4 days from the onset of paroxysmal cough without antibiotics.  Always from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Impetigo  Ringworm  No exclusion but treatment is required	DISEASE / ILLNESS	MINIMUM EXCLUSION PERIOD
excluded  Flu  Until recovered  Five days from onset of rash and all vesicles have crusted over  Diphtheria  Exclusion is essential. Consult with doctor and HPT  Exclude until 7 days after onset of jaundice (or 7 days after symptom onset if no jaundice)  No exclusion  Measles  Measles  Four days from onset of rash. Consult with doctor and HPT  Weningococcal meningitis / septicaemia  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Meningitis viral  Mumps  Pertussis (whooping cough)  Pertussis (whooping cough)  Avertussis (whooping cough)  Avertus after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Impetigo  Always consult with HPT  Impetigo  Always consult with treatment is required	Vomiting and /or Diarrhoea	48 hours from last episode of diarrhoea or vomiting
Five days from onset of rash and all vesicles have crusted over  Diphtheria	Temperature Above 38 Degrees	
crusted over  Exclusion is essential. Consult with doctor and HPT  Hepatitis A*  Hepatitis B* and C* HIV/AIDS  Measles  Meningococcal meningitis / septicaemia  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Mumps  Pertussis (whooping cough)  Pertussis (whooping cough)  Rubella (German measles)  Exclude until 7 days after onset of jaundice (or 7 days after symptom onset if no jaundice)  No exclusion  Four days from onset of rash. Consult with doctor and HPT  Until recovered from the illness consult with doctor and HPT  None, consult with doctor and HPT  Five days from the onset of swelling. Consult with doctor and HPT  2 days from the onset of swelling. Consult with doctor and HPT  Scarlet fever  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Impetigo  Ringworm  No exclusion but treatment is required	Flu	Until recovered
Hepatitis A*  Hepatitis B* and C* HIV/AIDS  Measles  Measles  Meningococcal meningitis / Septicaemia  Meningitis viral  Meningitis viral  Meningitis viral  Menings (whooping cough)  Pertussis (whooping cough)  Pertussis (whooping cough)  Relation (German measles)  Rubella (German measles)  Scarlet fever  Tuberculosis  Always consult with HPT  Limpetigo  Exclude until 7 days after onset of jaundice (or 7 days after symptom onset if no jaundice)  No exclusion  No exclusion  Four days from onset of rash. Consult with doctor and HPT  Until recovered from the illness consult with doctor and HPT  Five days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Chickenpox	
days after symptom onset if no jaundice)  Hepatitis B* and C* HIV/AIDS  Measles  Four days from onset of rash. Consult with doctor and HPT  Meningococcal meningitis / Septicaemia  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Mumps  Pertussis (whooping cough)  Pertussis (whooping cough)  Adays from the onset of swelling. Consult with doctor and HPT  2 days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  A days from the onset of rash. Consult with doctor and HPT  Scarlet fever  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Diphtheria	Exclusion is essential. Consult with doctor and HPT
Four days from onset of rash. Consult with doctor and HPT  Meningococcal meningitis / Septicaemia  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Meningitis viral  Meningitis viral  Mumps  Pertussis (whooping cough)  Pertussis (whooping cough)  Rubella (German measles)  Scarlet fever  Tuberculosis  Impetigo  Four days from onset of rash. Consult with doctor and HPT  Pour days from the illness consult with doctor and HPT  None, consult with doctor and HPT  Five days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Hepatitis A*	•
Meningococcal meningitis / Septicaemia  Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Mumps  Meningitis (whooping cough)  Pertussis (whooping cough)  Rubella (German measles)  Rubella (German measles)  Scarlet fever  Tuberculosis  Impetigo  Meningicocccal meningitis /  Until recovered from the illness consult with doctor and HPT  Until recovered from the illness consult with doctor and HPT  Prive days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Hepatitis B* and C* HIV/AIDS	No exclusion
Meningitis due to other bacteria  Meningitis viral  Meningitis viral  Meningitis viral  Mumps  Pertussis (whooping cough)  Rubella (German measles)  Scarlet fever  Tuberculosis  Impetigo  Always consult with HPT  Until recovered from the illness consult with doctor and HPT  Until recovered from the illness consult with doctor and HPT  Prive days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Measles	
Meningitis due to other bacteria  Meningitis viral  None, consult with doctor and HPT  Five days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  Rubella (German measles)  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Meningococcal meningitis / septicaemia	• **
Five days from the onset of swelling. Consult with doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  Rubella (German measles)  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Meningitis due to other bacteria	
doctor and HPT  2 days from treatment with antibiotics or 21 days from the onset of paroxysmal cough without antibiotics.  Rubella (German measles)  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  Ringworm  No exclusion but treatment is required	Meningitis viral	None, consult with doctor and HPT
Pertussis (whooping cough)  from the onset of paroxysmal cough without antibiotics.  Rubella (German measles)  4 days from the onset of rash. Consult with doctor and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  Ringworm  No exclusion but treatment is required	Mumps	,
and HPT  24 hours after starting appropriate antibiotic treatment  Tuberculosis  Impetigo  Competigo  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Pertussis (whooping cough)	from the onset of paroxysmal cough without
treatment  Tuberculosis  Always consult with HPT  Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Rubella (German measles)	
Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment  No exclusion but treatment is required	Scarlet fever	3
Starting antibiotic treatment  No exclusion but treatment is required	Tuberculosis	Always consult with HPT
·	Impetigo	Until lesions are crusted or healed, or 48 hours after starting antibiotic treatment
Scabies Child can return after first treatment	Ringworm	No exclusion but treatment is required
	Scabies	Child can return after first treatment

If you have any concerns or wish to share any positive comments please don't hesitate to contact me on the email below or by calling nursery on:

01189375429

Claire

Nursery Manager

claire.simpson@cavershamnursery.reading.sch.uk

Please can I ask parents/carers to add my email address to your inboxes as we are finding a lot of our emails are going into junk folders.